



Matthew H. Mead
Governor

State of Wyoming Department of Workforce Services

DIVISION OF WORKERS' COMPENSATION

1510 East Pershing Boulevard, South Wing
Cheyenne, Wyoming 82002
<http://www.wyomingworkforce.org>



John Cox
Director
John Ysebaert
Deputy Director

PROVIDER BULLETIN

TOPIC: Facet Rhizotomies

Published by Wyoming Workers' Compensation Medical Case Management Unit and Effective on
June 28, 2017

Based on review of the current literature, the Medical Commission has determined the following guidelines will be implemented for Medial Branch Blocks prior to Facet Rhizotomies:

- Patient has a clinical picture of facet joint pain with cervical, thoracic or lumbar pain that can radiate to scapula, chest or buttock/ thigh, respectively. Tenderness to palpation over the suspected joint, pain increased by extension or extension and rotation of the spine. Neurologic examination is normal.
- Imaging studies prior to injection must demonstrate abnormality of the joint to be injected or demonstrate instability at the appropriate level on flexion/ extension films. The ideal imaging study, if available, would be CT-Nuclear SPECT, or if not available, Nuclear SPECT, injecting only levels that are "hot" on the imaging studies.
- Written documentation stating claimant's subjective pain level pre-injection and post injection, with location, will be required.
- Only one level should be injected (uni or bi-lateral) at one session. Patient should be awake and no IV sedation or analgesics should be utilized. If multiple joints are pain generators, a series of blocks will be required, culminating in all symptomatic joints being injected simultaneously to completely relieve the patient's pain.
- Patients, who have 80% relief of pain after the Medial branch block, can then be considered for a Facet Rhizotomy.

